

SPEC BUILDER

roller shades

Project Information


Project:

Designer:

Purchaser:

Installer:

Notes



NOTE: When measuring the total dimensions of the shade, include any length or width that extends beyond the window.

Window Count

#Typical: _____

#ADA: _____

Typical Sizes:

ADA Sizes:

W _____ x L _____ x D _____ Count _____

W _____ x L _____ x D _____ Count _____

W _____ x L _____ x D _____ Count _____

W _____ x L _____ x D _____ Count _____

W _____ x L _____ x D _____ Count _____

W _____ x L _____ x D _____ Count _____

W _____ x L _____ x D _____ Count _____

W _____ x L _____ x D _____ Count _____

Corporate

3 Park Avenue
New York, NY 10016

TEL (1) 212.292.2352

China

P/Kaufmann Trading
Company Ltd

TEL (86) 21 6117 6030

India

P/Kaufmann Trading
Company Ltd

TEL (91) 12 0258 5764/5

SPEC BUILDER

roller shades

STEP 1 Shade Configuration


(CHOOSE 1)

Single Shade


Fabric: _____

Color: _____


Regular Roll Reverse Roll



Single Shade



Regular Roll



Reverse Roll

Dual Shade

FRONT Fabric: _____


Color: _____

Regular Roll


BACK Fabric: _____

Color: _____

Regular Roll



Dual Shade



STEP 2 Shade Placement

Inside Window Frame



Wall Mount Ceiling Mount

Outside Window Frame


Wall Mount Ceiling Mount

Special Placement

Please Specify:



Wall Mount





Ceiling Mount

SPEC BUILDER

roller shades


STEP 3 Chain/Clutch Placement

Left	Right	Verify with floor plan view		
Stainless Steel:	Silver	Gold	Bronze	White
Plastic Bead:	White	Ivory	Black	Grey




STEP 4 Hem Bar Options

Single Shade	Dual Shade Front	Dual Shade Back
Sealed Hem Bar	Sealed Hem Bar	Sealed Hem Bar
Exposed Flat Bar	Exposed Flat Bar	Exposed Flat Bar



Sealed Hem Bar




Exposed Flat Bar


STEP 5 Channel Options

Side Channels


- L Channel
- U Channel (light blocking brush included)
- H Channel (light blocking brush included)
- * To be installed between 2 shades on a large window (must be mounted on a mullion)
- None



L Channel




U Channel




H Channel

Sill Channels (CHOOSE 1)

- L Channel
- U Channel
- None




L Sill Channel



U Sill Channel

STEP 6 Installation



STEP 7 Hardware Color (Box, Fascia, Side Channel, Sill Channel, and Hem Bar)

White Ivory Silver Bronze Black

L Channel is only available in White and Silver

STEP 8 Operating System

Manual Clutch

Typical Rooms only YES NO

Motorized (ADA rooms require motorization)

STEP 9 Power Source

Battery Power Outlet Hard Wired

STEP 10 Motorized Control Options

Radio

- Single Channel Remote
- Multi Channel Remote
- Single Channel Remote Wall Control
- Multi Channel Remote Wall Control

Hardwired

- Wall Switch